



Jet Streaks

Meteorology 311




Jet Stream/Jet Streak

- Jet stream: an intense, narrow, quasi-horizontal current of wind that is associated with strong vertical shear.
 - Found at or near the tropopause.
- Intense: at least 30 m/s (~60 kts) for upper troposphere.
- Narrow: ~1/2 to 1 order of magnitude less in width than its length.
- Strong vertical wind shear: At least 5-10 m/s per km; At least 1/2 to 1 order of magnitude greater than synoptic scale shear.
- Jet streak: an isotach maximum embedded within a jet stream.

Methods of explanation


- Curvature
- PVA/NVA
- Ageostrophic wind

Pretty Picture 1



Pretty Picture 2

THE FOUR QUADRANT STRAIGHT JET MODEL



3D Circulations

Jet Streak Circulations



Direct/Indirect Circulation

- Entrance region: direct thermal circulation
- Exit region: indirect thermal circulation
 - Creates temperature advections at the surface which provide positive feedback to upper level support in that region.

Jet Streaks characteristics

- Jet streak on left side of trough → Deepens and amplifies (digs) the trough.
- Jet streak on right side of trough → Weakens and de-amplifies (lifts) the trough.
- Jet streaks are caused by low level temperature gradients
 - Not necessarily surface temperature gradients, but low level gradients.

Banana/Curved Jets

- Most jets in nature are not linear.
- Motions are enhanced on the inside curve of the jet.
- Motions are suppressed on the outside curve.
 - At this point, one typically labels these areas undeterminable.

Ageostropic Explanation

- $V_a = V - V_g$
- Equation (in class)
- Entrance region: As parcel accelerates, an ageostropic wind blows perpendicular toward lower heights.
- Exit region: As parcel decelerates, an ageostropic wind blow perpendicular toward higher heights.